



www.vmososoco.com
info@vmotosoco.com



SUPER
SOCO




CITY POWER



140KM RANGE

Swappable, 2 packs 60V45Ah batteries can work in parallel, UN38.3 certified.
(Range tested @ average speed 45km/h with 90KG rider, with 2 batteries)

Charging time	Battery capacity	Warranty for battery	Number of cycles
3.5 _h <small>(Single battery)</small>	60 _v 45 _{Ah} <small>(Optional with 2 battery packs)</small>	3 _{YEARS} <small>No cycle limitation</small>	1500 ₊ <small>For L3e only</small>



PATENTED SINGLE SWING-ARM MOTOR

5 seconds changing tyre

Max. speed	Rated power	Rated RPM	Peak torque	Conversion efficiency
90 _{km/h}	4 _{KW}	750 _{rpm}	171 _{N.m}	91 _%



FULL LED LIGHTING SYSTEM

Using LED light source guiding technology,
Waterproof and moisture-proof, safer driving at night.

Radiation
distance

75_m


High beam
brightness

29000_{cd}

Low beam
brightness

13480_{cd}

FOC VECTOR
CONTROLLER V3.0
INCREASE INPUT
POWER BY 16%



16 INCH TUBELESS
RADIAL PLY TIRE


≥145MM GROUND CLEARANCE

Front wheel 100/80-16
Rear wheel 110/80-14



CARBON STEEL REAR
CARRIER DURABLE
AND SAFE

Passed 1 million high-strength vibration
durability tests
Compatible with multiple rear boxes.



COMBINED BRAKE
SYSTEM

Front disc ϕ 240mm; Rear disc ϕ 180mm

AUTOMOBILE CANBUS COMMUNICATION SYSTEM


Real-time communication. High transmission rate.
Smarter vehicle that assist to avoid traffic jam.
Improved harness layout enable stability of electronic control system,
Allow more functions on the road.

Real-time communication High transmission rate Smarter travelling performance

BMOS V3.3 CENTRAL CONTROL SYSTEM

Self-developed by Super Soco, BMOS V3.3 is a perfect combination with Super Soco APP, connecting you, your vehicle and cloud, Intelligent and practical.

Super Soco App is available subject to countries.



Vehicle
Inspection



Location



Anti-theft
system



Record




Warning



Navigation



ONE-PUSH REVERSE BUTTON EASILY REVERSING
EV WITH NO SWEAT



USB CHARGING PORT
FOR CHARGING YOUR PHONE

EXTRA THICK SPONGE CUSHION SEAT FOR EXTRA
COMFORTABLE SEATING



2000CM³ STORAGE SPACE
HIGH FLEXIBILITY



● Silver

● Black

● Grey

CPX Parameters

Length/Width/Height	2022*790*1442 mm	Climbing angle	15°
Rated power	4000W	Max. speed	90km/h
Battery capacity	60V45AH/pack optional 2 packs	Front rim	MT2.15*16
Peak torque	171N.m	Rear rim	MT2.5*14
LED	Headlights / Indicators / Tail lights		
Intelligent control	Keyless / APP		

* The data come from the corporate laboratory tests in ideal conditions and all data are for reference only.

4 Homologation Certificates
EEC, CCIC, CMA,CNAS